PPA	IFCT	TATE	IIC D	EPORT

## **INSTRUCTIONS**

ITEM 8

Entries will be taken from codes listed on the repetus redect the result page 3.

Enter concise project progress information sufficiently complete so that reference to other reports will not be necessary. Changes in program scheduling should be fully explained. If additional space is required, a separate 8 x ITEM 20

10½ sheet will be used. Identify particular report and mark proper security classifications. 3. TASK, ESP OR TEST NUMBER 2. PROJECT NR OR SYSTEM TEST OBJ NR 921A 63B14 6. REPORTING PERIOD 5. ARDC PRIORITY 4. AFFTC PROJECT DIRECTIVE NR

7. TITLE AND OBJECTIVE

63-83

D. E. S. TESTS

(Purpose is classified)

8.		CURRENT FY 64							FY <u>65</u> F								FY	Y_66_QTRS FY 67_QTRS														
SCHEDULE	J	A	5	0	N	D	J	F	М	A	M	Ţ	J	A	S	0	N	D	J	F	M	A	M	J	lat	24	3d	4th	1 41	2d	3d	41
CURRENT SCHEDULE								U	N	K	N	0	W	N																		
NEW SCHEDULE																																
CHG CODE																į						Į		ŀ	1							
9. FIRST FLIGHT	TE	T	10.	LA	TES	T FI	IGI	17/1	ES	Ť	11.	FIN	AL	FLI	GH1	/T	87	12.	ТО	TAL	FL	IGH	TH	RS	REQ	19.	AC	7 7 1	BER	IAL	NR	
					••																		•									
14. % PLANNING COMPLETED	*******	15.			RUN						ETE			17.			R E		CTIC	И	16.		EPC		co	M-	19.		ETE	AL (	ОМ	j•
10/90				:	10/	50				70	/5	0				5,	/50	)				5	/0				1	10	00/	50		

LIC 9341

Tests completed:

Tests documented:

February 1964

Aircraft hours flown to date:

Documented aircraft hours remaining:

F-106B - 6 T-38 - 3 F-106B - 3 F-106B F-104 - 20 F-106D F-106B - 2 T-38	)
F-104 - 20 F-106D F-106B- 2 T-38	- 2
F-106B- 2 T-38	- 6
	- 7
T-33	- 4

This project is classified.

21. DATE		28. SIGNATURE OF PROJECT OFFICER
29 February 1964	FTNEM/266	Lavid P. Schmarje

Program Structure 921A, COMPARATIVE EVALUATION OF PERSONNEL PARACHUTE CONFIGURATIONS (Cont'd)

Remarks No.	(1)	(2)	
Maximum riser force left right (1b)	N/A N/A	880 880	
Internal parachute skirt location - above or below main canopy skirt (in)	12 above	12 above	
Internal parachute D <sub>o</sub> (in)	09	09	
Launch speed (kt)	300	100	
Drcp No.	0016	0020	

The dummy separated from the parachute at full open due to the harness breaking. No damage. (5) (I)

**9**4

Remarks:

AFFTC FORM 29

29 February 1964

<del>-2002/10/21 : CIA-RDP75B00285R000400020025-9</del>

FTNEM/266

## Approved For Release 2002/10/21: CIA-RDP75B00285R000400020025-9

Program Ciructure 921A, SUPFORT MISCELLANEOUS AIR FORCE TASKS, (Cont'd)

35-Ft. Single Cone "Rabbit Ear": Project Engineer - Lt. David P. Schmarje, FTNEM, Extension 266. - Two tests were made on an MC-1 canopy modified with a single "Rabbit Ear." The drop was made at 110 KIAS and 5,000-ft. pressure altitude using a 290-1b. ammunition container load. The test canopy was deployed by a static-line-deployed 68-in. octagonal pilot chute. The "Rabbit Ear" has a 7-ft. base diameter, a 6-ft. tip diameter, and a 16-ft. height. For test 0181 the standard MC-1 apex was retained and for test 0223 this was increased to a 42-in. diameter.

## Test information follows:

Drop No.	Indicated airspeed (kt)	Pressure altitude (ft)	Drop aircraft	Peak force (1b)	Rate of descent (ft/sec)	Remarks
0181	110	5,000	C-130	1,300	17.9	(1)
0223	110	5,000	C-47	800	21.0	(2)

## Remarks:

- (1) The cone did not inflate properly.
- (2) The cone inflated, but did not remain erect.